

Larwy *Leptophlebia marginata* i *L. vespertina* żyjące w małych i średnich rzekach, strumieniach, a także w jeziorach i innych zbiornikach wód stojących, bywają niekiedy bardzo liczne. Trzy rzadkie gatunki: *Choroterpes picteti*, *Paraleptophlebia cincta* i *P. wernerii*, uznano za narażone (Klonowska-Olejnik 2002).

Piśmiennictwo

Klonowska-Olejnik M. 2002. Ephemeroptera Jętki. In: Głowiński Z. (ed.), Czerwona Lista Zwierząt Gniających i Zagrożonych w Polsce. Red List of Threatened Animals in Poland. Instytut Ochrony Przyrody PAN, Kraków, 128–132.

Peters W., Campbell I. C. 1991. Ephemeroptera (Mayflies).

In.: Naumann I. D., Carne P. B., Lawrence J. F., Nielsen E. S., Spradberry J. P., Taylor R. W., Whitten M. J. & Littlejohn M. J. (eds), The insects of Australia: A textbook for students and research workers. Carlton, Victoria, Melbourne Univ. Press, 1: 279–293.

SUMMARY

Leptophlebiidae. It is a species-rich family, though the European fauna only extends to 38 species in eight genera. Poland's nine species in turn belong to five genera. Species that are common or even abundant include *Leptophlebia marginata*, *L. vespertina*, and *Paraleptophlebia submarginata*, while *Choroterpes picteti*, *Paraleptophlebia cincta*, and *P. wernerii* are vulnerable (Klonowska-Olejnik 2002).

BAETOIDEA

Ameletidae

2 species

Ameletus Eaton, 1885

- *inopinatus* Eaton, 1887 {*Ameletus*}

Metreletus Demoulin, 1951

- *balcanicus* (Ulmer, 1920) {*Metretopus*} rm, >1997, VU

Ametropodidae

1 species

Ametropus Albarda, 1878

- *fragilis* Albarda, 1878 {*Ametropus*} psammo, EN, EN

Baetidae

37 species

Acentrella Bengtsson, 1912

- *inexpectata* (Tshernova, 1928) {*Pseudocloeon*} rm, EN
- *sinaica* Bogoescu, 1931 {*Acentrella*}

Baetis Leach, 1815

- *alpinus* (Pictet, 1843) {*Cloe*}
- *beskidensis* Sowa, 1972 {*Baetis*} LC
- *buceratus* Eaton, 1870 {*Baetis*}
- *calcaratus* Keffermüller, 1972 {*Baetis*} NT
- *digitatus* Bengtsson, 1912 {*Baetis*} VU
- *fuscatus* (Linnaeus, 1761) {*Ephemera*}
- *gracilis* Bogoescu & Tabacaru, 1957 {*Baetis*} EN
- *liebenauae* Keffermüller, 1974 {*Baetis*} LC
- *lutheri* Müller-Liebenau, 1967 {*Baetis*}
- *macani* Kimmins 1957 {*Baetis*} rm, >2004
- *melanonyx* (Pictet, 1843) {*Cloe*}
- *muticus* (Linnaeus, 1758) {*Ephemera*}
- *nexus* Navas, 1918 {*Baetis*} LC
- *niger* (Linnaeus, 1761) {*Ephemera*}
- *rhodani* (Pictet, 1843) {*Cloe*}
- *scambus* Eaton, 1870 {*Baetis*}
- *tracheatus* Keffermüller & Machel, 1967 {*Baetis*}
- *tricolor* Tshernova, 1928 {*Baetis*}
- *vardarensis* Ikonomov, 1962 {*Baetis*}

- *vernus* Curtis, 1834 {*Baetis*}

Baetopus Keffermüller, 1960

- *tenellus* (Albarda, 1878) {*Centroptilum*} rm, NT

- *wartensis* Keffermüller, 1960 {*Baetopus*} psammo, rm, EN

Centroptilum Eaton, 1869

- *luteolum* (O. F. Müller, 1776) {*Ephemera*}

Cloeon Leach, 1815

- *cognatum* Stephens, 1835 {*Cloeon*}
- *dipterum* (Linnaeus, 1761) {*Ephemera*}
- *inscriptum* Bengtsson, 1914 {*Cloeon*}
- *praetextum* Bengtsson, 1914 {*Cloeon*}
- *simile* Eaton, 1870 {*Cloeon*}

Procloeon Bengtsson, 1915

- *bifidum* (Bengtsson, 1912) {*Cloeon*}
- *macronyx* (Kluge & Novikova, 1992) {*Cloeon*} EN
- *nemorale* (Eaton, 1885) {*Centroptilum*} LC
- *parapulchrum* (Keffermüller & Sowa, 1975)
{*Centroptilum*}
- *pennulatum* (Eaton, 1870) {*Centroptilum*}
- *pulchrum* (Eaton, 1885) {*Centroptilum*}

Pseudocentroptiloides Jacob, 1986

- *nana* (Bogoescu, 1951) {*Centroptilum*} psammo, rm, EN

Siphlonuridae

4 species

Siphlonurus Eaton, 1868

- *aestivalis* (Eaton, 1903) {*Siphlonurus*}
- *alternatus* (Say, 1824) {*Baetis*}

- *armatus* (Eaton, 1870) {*Siphlonurus*}

- *lacustris* (Eaton, 1870) {*Siphlonurus*}

CAENOIDEA

Caenidae

10 species

Brachycercus Curtis, 1834- *harrisella* Curtis, 1834 {*Brachycercus*} LC*Caenis* Stephens, 1835- *beskidensis* Sowa, 1973 {*Caenis*} LC- *horaria* (Linnaeus, 1758) {*Ephemerina*} com- *lactea* (Burmeister, 1839) {*Oxycypha*}- *luctuosa* (Burmeister, 1839) {*Oxycypha*}- *macrura* Stephens, 1835 {*Caenis*}- *pseudorivulorum* Keffermüller, 1960 {*Caenis*} NT- *rivulorum* Eaton, 1884 {*Caenis*} LC- *robusta* Eaton, 1884 {*Caenis*}*Cercobrachys* Soldán, 1986- *minutus* (Tshernova, 1952) {*Brachycercus*} rm, psammo, EN

Neophemeridae

1 species

Neophemera McDunnough, 1925- *maxima* (Joly, 1870) {*Caenis*} <1980, vrm, CR

EPHEMERELLOIDEA

Ephemerellidae

6 species

Ephemerella Walsh, 1862- *mucronata* (Bengtsson, 1909) {*Chitonophora*}- *notata* Eaton, 1887 {*Ephemerella*} NT*Eurylophella* Tiensuu, 1935- *karelica* Tiensuu, 1935 {*Eurylophella*} rm, <1984, DD*Serratella* Edmunds, 1959- *ignita* (Poda, 1761) {*Ephemerina*}- *mesoleuca* (Brauer, 1857) {*Potamanthus*} rm, EN*Torleya* Lestage, 1917- *major* (Klapálek, 1905) {*Ephemerella*}

EPHEMEROIDEA

Behningiidae

1 species

Behningia Lestage, 1929- *ulmeri* Lestage, 1929 {*Behningia*} psammo, <1966, CR, CR

Ephemeridae

3 species

Ephemera Linnaeus, 1758- *danica* O. F. Müller, 1764 {*Ephemera*}- *lineata* Eaton, 1870 {*Ephemera*} VU- *vulgata* Linnaeus, 1758 {*Ephemera*}

Palingeniidae

1 species

Palingenia Burmeister, 1839- *longicauda* (Olivier, 1791) {*Ephemera*} EX, EX

Polymitarcyidae

1 species

Ephoron Williamson, 1802- *virgo* (Olivier, 1791) {*Ephemera*} rm, EN

Potamanthidae

1 species

Potamanthus Pictet, 1843- *luteus* (Linnaeus, 1767) {*Ephemera*} NT

HEPTAGENIOIDEA

Arthropleidae

1 species

Arthroplea Bengtsson, 1909- *congener* Bengtsson, 1909 {*Arthroplea*} vrm, <1975, VU

Heptageniidae	33 species
Ecdyonurus Eaton, 1868	
- <i>aurantiacus</i> (Burmeister, 1839) {Baetis} VU	- <i>coerulans</i> Rostock, 1878 {Heptagenia} VU
- <i>carpathicus</i> Sowa, 1973 {Ecdyonurus}	- <i>flava</i> Rostock, 1878 {Heptagenia}
- <i>dispar</i> (Curtis, 1834) {Baetis}	- <i>longicauda</i> (Stephens, 1835) {Baetis} VU
- <i>insignis</i> (Eaton, 1870) {Heptagenia} VU	- <i>sulphurea</i> (O. F. Müller, 1776) {Ephemera}
- <i>macani</i> Thomas & Sowa, 1870 {Ecdyonurus} EN	Kageronia Matsumura, 1931
- <i>starmachi</i> Sowa, 1971 {Ecdyonurus}	- <i>fuscogrisea</i> (Retzius, 1783) {Ephemera} VU
- <i>subalpinus</i> Klapálek, 1907 {Ecdyonurus}	Rhithrogena Eaton, 1881
- <i>submontanus</i> Landa, 1969 {Ecdyonurus}	- <i>beskidensis</i> Alba-Tercedor & Sowa, 1987 {Rhithrogena}
- <i>torrentis</i> Kimmins, 1942 {Ecdyonurus}	- <i>carpatoalpina</i> Klonowska, Olechowska, Sartori &
- <i>venosus</i> (Fabricius, 1775) {Ephemera}	Weichselbaumer, 1987 {Rhithrogena}
Electrogena Zurwerra & Tomka, 1985	- <i>circumtatraica</i> Sowa & Soldán, 1986 {Rhithrogena} NT
- <i>affinis</i> (Eaton, 1883) {Ecdyurus} EN	- <i>germanica</i> Eaton, 1885 {Rhithrogena} CR
- <i>lateralis</i> (Curtis, 1834) {Baetis}	- <i>gorganica</i> Klapálek, 1907 {Rhithrogena} rm, LC
- <i>quadrilineata</i> (Landa, 1969) {Heptagenia} NT	- <i>iridina</i> (Kolenati, 1859) {Baetis}
- <i>samalorum</i> (Landa & Soldán, 1982) {Ecdyonurus} dt, DD	- <i>loyolaea</i> Navás, 1922 {Rhithrogena}
- <i>ujhelyii</i> (Sowa, 1981) {Ecdyonurus} NT	- <i>podhalensis</i> Sowa & Soldán, 1986 {Rhithrogena} NT
Epeorus Eaton, 1881	- <i>puytoraci</i> Sowa & Degrange, 1987 {Rhithrogena}
- <i>assimilis</i> Eaton, 1885 {Epeorus}	- <i>savoiensis</i> Alba-Tercedor & Sowa, 1987 {Rhithrogena}
Heptagenia Walsh, 1863	- <i>semicolorata</i> (Curtis, 1834) {Baetis}
	- <i>wolosatkae</i> Klonowska, 1987 {Rhithrogena} LC

Isonychiidae	1 species
Isonychia Eaton, 1871	
- <i>ignota</i> (Walker, 1853) {Baetis} EN	

Oligoneuriidae	5 species
Oligoneuriella Ulmer, 1924	
- <i>keffermuellerae</i> Sowa, 1973 {Oligoneuriella} EN	- <i>rhenana</i> (Imhoff, 1852) {Oligoneuria} VU
- <i>pallida</i> (Hagen, 1855) {Oligoneuria} CR, CR	Oligoneurisca Lestage, 1938
- <i>polonica</i> Mol, 1984 {Oligoneuriella} EN	- <i>borysthenica</i> (Tshernova, 1937) {Oligoneuriella} psammo, rm, CR

LEPTOPHLEBIOIDEA

Leptophlebiidae	9 species
Choroterpes Eaton, 1881	
- <i>picteti</i> (Eaton, 1871) {Leptophlebia} VU	Leptophlebia Westwood, 1840
Habroleptoides Schoenemund, 1929	- <i>marginata</i> (Linnaeus, 1767) {Ephemera}
- <i>confusa</i> Sartori & Jacob, 1986 {Habroleptoides}	- <i>vespertina</i> (Linnaeus, 1758) {Ephemera}
Habrophlebia Eaton, 1881	Paraleptophlebia Lestage, 1917
- <i>fusca</i> (Curtis, 1834) {Ephemera}	- <i>cincta</i> (Retzius, 1783) {Ephemera} LC
- <i>lauta</i> Eaton, 1884 {Habrophlebia}	- <i>submarginata</i> (Stephens, 1835) {Ephemera}
	- <i>wernerii</i> Ulmer, 1919 {Paraleptophlebia} VU